

No. AJFS1711009731FF

Date: Nov. 10, 2017

Page 1 of 6

CHANGZHOU SHUANGOU FLOORING CO., LTD

8# HENGCUI ROAD, HENGLIN TOWN, CHANGZHOU CITY, JIANGSU PROVINCE, CHINA

The following sample(s) was / were submitted and identified on behalf of the client as:

Sample Description: FR aluminium composite panel

<u>Product Specification:</u> 4mm <u>Product or Lot No.:</u> SO-B1-2017

Buyer: CHANGZHOU SHUANGOU FLOORING CO., LTD

Manufacture: CHANGZHOU SHUANGOU FLOORING CO., LTD

<u>Material and Mark:</u> SO-B1-2017 <u>SGS Ref No.:</u> SHIN171003385CCM

Test Requested:

EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements - Part 1: Classification using data from reaction to fire tests, class B.

Test Results: -- See attached sheet --

Test Period:

Sample Receiving Date : Nov. 3, 2017

Test Performing Date : Nov. 3, 2017 TO Nov. 10, 2017

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Anji Branch



Technical Manager





No. AJFS1711009731FF

Date: Nov. 10, 2017

Page 2 of 6

I. Test conducted

This test is conducted as per EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests. And the test methods as following:

- 1. EN 13823:2010 Reaction to fire tests for building products Building products excluding floorings exposed to the thermal attack by a single burning item.
- EN ISO 11925-2:2010 Reaction to fire tests Ignitability of building products subjected to direct impingement of flame — Part 2: Single-flame source test.

II. Details of classified product

a) Nature and end use application

The product "FR aluminium composite panel" is defined as building material and will be used as inside and outside wall and decoration.

b) Description

The details of the product given above have been prepared from information provided by the sponsor of the test.

•			
Name	FR aluminium composite panel		
Color	Dark blue		
Materials	50% Aluminum, 50% Fireproof core material		
Thickness	4 mm		

Mounting and fixing:

Calcium silicate board, with its density approximate 900kg/m³, thickness approximate 9mm, is as the backing board. The test specimens are free standing. No joint in the long wing of the specimen.

III. Test results

Test method	Parameter	Number of tests	Results
EN 13823	FIGRA (W/s)		9.0
	LFS < edge of specimen		Yes
	THR _{600s} (MJ) SMOGRA (m ² /s ²) 3		1.3
			0.0
	TSP _{600s} (m ²)		22.7
	Flaming particles or droplets		No

To be continued...



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe vererleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions-apx and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions-frems-e-Document.agx tkention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is the defined therein, any holder of this document is considered the service of the defined therein. Any holder of this document is considered the service of the servic



No. AJFS1711009731FF

Date: Nov. 10, 2017

Page 3 of 6

Test method	Parameter	Specimen number	Results
EN ISO 11925-2 Exposure = 30 s	<i>F</i> s ≤ 150 mm	12	Yes
	Ignition of the filter paper	12	No

IV. Classification and direct field of application

This classification has been carried out in accordance with EN 13501-1:2007+A1:2009.

a) Classification

The product, FR aluminium composite panel, classification is as following,

Fire behaviour		Smoke production			Flaming droplets	
В	_	S	1	,	d	0

Reaction to fire classification: B-s1, d0

Remark: The classes with their corresponding fire performance are given in annex A.

b) Field of application

This classification for the submitted sample is valid for the following end use condition:

- --- Free standing
- --- No joint

This classification is valid for the following product parameters:

---Characteristics of various layers identical to those as described in § II b) of this test reports.

Statement: The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

Warning:

This classification report does not represent type approval or certification of the product.

The test laboratory has, therefore, play no part in sampling the product for the test, although it holds appropriate references to the manufacturer's factory production control that is aimed to be relevant to the samples tested and that will provide for their traceability.

To be continued...



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-terms-en-Document.ago. titention is forward to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is the first of the state of



No. AJFS1711009731FF

Date: Nov. 10, 2017

Page 4 of 6

Annex A

Classes of reaction to fire performance for construction products excluding floorings and linear pipe thermal insulation products

Class	Test method(s)		Classification criteria	Additional classification		
A1	EN ISO 1182 a	and	Δ T≤30°C, and Δ m≤50%, and t _f =0(i.e. no sustained flaming)	-		
	EN ISO 1716		PCS≤2.0MJ/kg ^a and PCS≤2.0MJ/kg ^{b c} and PCS≤1.4MJ/m ² d and PCS≤2.0MJ/kg ^e	-		
	EN ISO 1182 a or		Δ <i>T</i> ≤50°C, and Δ <i>m</i> ≤50%, and tr≤20 s	-		
A2	A2 EN ISO 1716	and	PCS≤3.0MJ/kg a and PCS≤4.0MJ/m² b and PCS≤4.0MJ/m² d and PCS≤3.0MJ/kg e	-		
	EN 13823		FIGRA≤120W/s and LFS <edge and<br="" of="" specimen="">THR_{600s}≤7.5MJ</edge>	Smoke production ^f and Flaming droplets/particles ^g		
В	EN 13823	and	FIGRA≤120W/s and LFS <edge and<br="" of="" specimen="">THR_{600s}≤7.5MJ</edge>	Smoke production ^f and Flaming droplets/particles		
	EN ISO 11925-2 i Exposure =30s		within 60s <i>F</i> s≤150mm	Training droplets/particles		
С	EN 13823 and EN ISO 11925-2 i Exposure=30s		FIGRA≤250W/s and LFS <edge and<br="" of="" specimen="">THR_{600s}≤15MJ</edge>	Smoke production ^f and Flaming droplets/particles ^g		
			<i>F</i> s≤150mm within 60 s			
D	EN 13823	and	FIGRA≤750W/s	Smoke production ^f and		
	EN ISO 11925-2 i Exposure=30s		<i>F</i> s≤150mm within 60 s	Flaming droplets/particles ⁹		
Е	EN ISO 11925-2 i Exposure =15s		<i>F</i> s≤150mm within 20 s	flaming droplets/particles h		

To be continued...



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sgp.and, for electronic format document Atlention is drawn to the limitation of liability, indemnification and jurisdiction issues defired therapy and the standard advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgety raislification of the content results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing / impaction reports certificate, please contents at telephone (88-755) as 32.

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com



No. AJFS1711009731FF

Date: Nov. 10, 2017

Page 5 of 6

F No performance determined

- ^a For homogeneous products and substantial components of non-homogeneous products.
- ^b For any external non-substantial component of non-homogeneous products.
- ° Alternatively, any external non-substantial component having a PCS ≤ 2,0 MJ/m², provided that the product satisfies the following criteria of EN 13823: FIGRA ≤ 20 W/s, and LFS < edge of specimen, and THR_{600s} ≤ 4,0 MJ, and s1, and d0.
- ^d For any internal non-substantial component of non-homogeneous products.
- ^e For the product as a whole.
- f In the last phase of the development of the test procedure, modifications of the smoke measurement system have been introduced, the effect of which needs further investigation. This may result in a modification of the limit values and/or parameters for the evaluation of the smoke production.
- s1 = SMOGRA \leq 30m²/s² and TSP_{600s} \leq 50m² ; s2 = SMOGRA \leq 180m²/s² and TSP_{600s} \leq 200m²; s3 = not s1 or s2
- g d0 = No flaming droplets/ particles in EN 13823 within 600 s;
- d1 = no flaming droplets/ particles persisting longer than 10 s in EN 13823 within 600 s;
- d2 = not d0 or d1.
- Ignition of the paper in EN ISO 11925-2 results in a d2 classification.
- ^h Pass = no ignition of the paper (no classification);
- Fail = ignition of the paper (d2 classification).
- ⁱ Under conditions of surface flame attack and, if appropriate to the end–use application of the product, edge flame attack.

To be continued...



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format document Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to list Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forger fastification of the content is appearance or this document is unleavily and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Appearance of this document is unleavily and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Appearance of this document is unleavily and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Appearance of this document is unleavily and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Appearance of this document is unleavily and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Appearance of this document is unleavily and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unleaved to the content of the



No. AJFS1711009731FF

Date: Nov. 10, 2017

Page 6 of 6

Photo Appendix:



SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe oversient available on request or accessible at http://www.sgs.com/en/farms.and-Conditions.asp; and, for electronic Documents at http://www.sgs.com/en/farms.asp; and, for electronic Documents at http://www.sgs.com/en/farms.asp; and Conditions for Electronic Documents at http://www.sgs.com/en/farms.astd.Conditions/farms-e-Document.asp; Attention is clarawn to the limitation of liability, indemnification and jurisdiction issues defined therein Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery classification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejiang Province, China 313300 t t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com